
LittleFolks

- FURNITURE-



Fargo Hi Sleeper Bed

Code: HSP001

PLEASE READ CAREFULLY & KEEP FOR FUTURE REFERENCE

Treated properly it should be a faithful servant for years - and we hope you get the same amount of pleasure from it. Before you do

- please take a few minutes to read these instructions
- we suggest you carefully unpack everything, lay it out on a clean, flat floor and identify everything on the parts list in these instructions. Do not throw away any packaging until you are sure you have all the parts.

If you have any problems assembling the product please call our customer services on 01985 300588 and we will try and help. If for any reason you wish to return the product, you must disassemble the product and pack in the original packaging.

Taking care of your product

Your furniture should require no more than a regular dust off with a soft cloth. If the furniture is not painted then a superior wood polish can be used - but never use polishes containing silicone.

If necessary it can be cleaned with a damp cloth with a mild detergent solution - and then dried with a lint-free cloth. Never clean with abrasives or chemical cleaners.

Direct sunlight or heat from a radiator can stain, discolour warp or crack furniture.

We know furniture can be heavy but try not to drag furniture across the floor as this can damage it.

PRODUCT SAFETY

This product is designed to conform to BSEN747:1 2012

The MAXIMUM thickness of the UPPER BUNK mattress is 17cm.

The recommended size of the mattress is 191cm x 90cm (6'3" x 3'0)

Periodically check that all assembly fixings are tightened properly, care should be taken to ensure that no fittings are loose.

The furniture must be set up on an even and stable surface.

Keep away from direct sources of heat, such as electric, gas or coal fires.


Do not allow children to climb on the furniture. Using this furniture other than for its intended purpose could cause damage to the structure or serious injury to your child.


The Bunk should not be used if any structural part is broken or missing.

The upper Bunk is not suitable for children under six years old due to the risk of falls. Do not attach items such as ropes, strings, cords, harnesses or belts etc to avoid the risk of strangulation.

WARNING: Children can become trapped between the bed and the wall. To avoid the risk of serious injury the distance between the top safety barrier and the wall must not exceed 75mm or be more than 230mm.

If you have any problems please do contact us for help on e mail customerservices@littlefolksfurniture.co.uk or phone our CUSTOMER SERVICES 01985 300588





Making the bed frames.


12 x long Bolts 10cm, 12 x Barrel Nuts, an Allen key

Orientate the bed ends with the middle holes at the rear of the bed.

Push one barrel nut into each mattress rail holes, aligning the slot head to the end hole.

Slide each bolt through the bed end holes and into the holes in the end of each mattress rail.


Image with bed entrance on the right, if entrance required on the left, swap the mattress rails. Twist the bolts to tighten the bed together.



Fit the rear rail

4 x long Bolts 10cm, 4 x Barrel Nuts, an Allen key


Orientate the rear rail with the holes on the edge upwards and insert 4 x barrel nuts. Now insert 4 x bolts through the legs, rotating them into the barrel nuts. Tighten the fittings



Fixing the front safety rail

You need: 2x 10cm bolts, 4 x 3.5cm bolts and an allen key.


Align the piece to the front mattress rail and fix directly into the mattress rail using 2 \times 3.5cm bolts. Now insert 2 \times barrel nuts into the front safety rail, slide 2 \times 10cm bolts through the leg opposite to the bed entrance and engage the rail. Insert 2 \times 3.5cm bolts through the piece and rotate into the front safety rail. Tighten all the parts up using the allen key.



Fit the mattress base

30 x 3.2cm wood screws

Spread out the mattress base onto both the bed frame, ensuring that the end slats are tight up to the bed ends. Screw down each bed slat.




Make the ladder

You need: 8 x 6cm bolts, 8 x barrel nuts and 16 dowels

insert 4 x dowels into each tread


Orientate the ladder pieces so they are opposite each other and with the holes facing upwards. Now press a tread into each pair of holes, matching the front edges. Once all treads are engaged and the ladder formed, insert a barrel nut into the tread hole, slip a 6cm bolt fom the outside, rotating into the barrel nut hole, repeating on the remaining holes. Tighten all fixings to make the ladder.



Fit the ladder hooks

You need: 4 x bolts 1.8cm, 2 x ladder hooks and 2 x pads


Orientate the 2 x hooks on the ladder and connect using the 4 x 1.8cm bolts. Now stick a pad onto the inside of the hook, this will protect the paintwork on your bed.



Fix the ladder to the bed

You need: 2 x 1.6cm screws


Fit the ladder into the bed entrance and screw the hooks to the bed rail.



Please refer to the individual instruction leaflets for the different types of furniture that can be used with this bed.

LittleFolks

- FURNITURE-



Fargo Corner Desk

Code: DSK002

PLEASE READ CAREFULLY & KEEP FOR FUTURE REFERENCE

Treated properly it should be a faithful servant for years - and we hope you get the same amount of pleasure from it. Before you do

- please take a few minutes to read these instructions
- we suggest you carefully unpack everything, lay it out on a clean, flat floor and identify everything on the parts list in these instructions. Do not throw away any packaging until you are sure you have all the parts.

If you have any problems assembling the product please call our customer services on 01985 300588 and we will try and help. If for any reason you wish to return the product, you must disassemble the product and pack in the original packaging.

Taking care of your product

Your furniture should require no more than a regular dust off with a soft cloth. If the furniture is not painted then a superior wood polish can be used - but never use polishes containing silicone.

If necessary it can be cleaned with a damp cloth with a mild detergent solution - and then dried with a lint-free cloth. Never clean with abrasives or chemical cleaners.

Direct sunlight or heat from a radiator can stain, discolour warp or crack furniture.

We know furniture can be heavy but try not to drag furniture across the floor as this can damage it.


PRODUCT SAFETY

Periodically check all fittings to ensure that none have come loose. Keep away from direct sources of heat, such as electric, gas or wood fires. Do not allow children to climb on the furniture. Larger items of furniture should be properly (and professionally) secured to the wall to prevent them toppling over. Using this furniture other than for its intended purpose could cause damage to the structure or serious injury to your child.

The furniture should not be used if any structural part is broken or missing.

If you have any problems please do contact us for help on e mail customerservices@littlefolksfurniture.co.uk or phone our CUSTOMER SERVICES 01985 300588

Parts



Fittings


Tools Req

1 x Allen Key


Fit the Corner desk

4 x long Bolts 3cm and an Allen key

Place the corner desk on the bed frame as shown. Now insert 4 x bolts through the desk holes and into the holes beneath. Rotate the bolts to tighten the desk to the bed frame.




The desk can be fitted either side of the bed frame, so left and right side.



LittleFolks

- FURNITURE-



Fargo Day Bed

Code: DBD001

PLEASE READ CAREFULLY & KEEP FOR FUTURE REFERENCE

Treated properly it should be a faithful servant for years - and we hope you get the same amount of pleasure from it. Before you do

- please take a few minutes to read these instructions
- we suggest you carefully unpack everything, lay it out on a clean, flat floor and identify
 everything on the parts list in these instructions. Do not throw away any packaging until
 you are sure you have all the parts.

If you have any problems assembling the product please call our customer services on 01985 300588 and we will try and help. If for any reason you wish to return the product, you must disassemble the product and pack in the original packaging.

Taking care of your product

Your furniture should require no more than a regular dust off with a soft cloth. If the furniture is not painted then a superior wood polish can be used - but never use polishes containing silicone. If necessary it can be cleaned with a damp cloth with a mild detergent solution - and then dried with a lint-free cloth. Never clean with abrasives or chemical cleaners.

Direct sunlight or heat from a radiator can stain, discolour warp or crack furniture.

We know furniture can be heavy but try not to drag furniture across the floor as this can damage it.

PRODUCT SAFETY

The recommended size of the mattress is 183cm x 77cm (6` x 2`6")

Periodically check all fittings to ensure that none have come loose.

Keep away from direct sources of heat, such as electric, gas or coal fires.

Do not allow children to Climb on the furniture.


Using this furniture other than for its intended purpose could cause damage to the structure or serious injury to your child.

The Bed should not be used if any structural part is broken or missing.


If you can manage it, please try to persuade your children not to bounce on the bed. Warning: The child's bed should not be placed too close to other furniture or windows, blind cords, curtain pulls or other strings or cords, and should be placed either tight to any wall or have a gap of 300mm between the wall and the side of the bed.

If you have any problems please do contact us for help on e mail customerservices@littlefolksfurniture.co.uk or phone our


Parts list



Fittings



Tools Req




Making the bed frame.

8x Bolts, 8x Barrel Nuts, an Allen key

Push one barrel nut into each mattress rail hole, aligning the slot head to the end hole. Slide each bolt through the bed end holes and into the holes in the end of each mattress rail.

Twist the bolts to tighten the bed together.




Fix the bases

8 x Wood screws and a screwdriver


Lift the slatted bases onto the bed and align the holes with the pilot holes on the supports beneath. Now insert the screws and connect the bases to the bed

Note: Both bed end slats should be tightly fitted at each end.



LittleFolks

- FURNITURE-



Fargo Bookcase

Code: BKC002

PLEASE READ CAREFULLY & KEEP FOR FUTURE REFERENCE

Treated properly it should be a faithful servant for years - and we hope you get the same amount of pleasure from it. Before you do

- please take a few minutes to read these instructions
- we suggest you carefully unpack everything, lay it out on a clean, flat floor and identify everything on the parts list in these instructions. Do not throw away any packaging until you are sure you have all the parts.

If you have any problems assembling the product please call our customer services on 01985 300588 and we will try and help. If for any reason you wish to return the product, you must disassemble the product and pack in the original packaging.

Taking care of your product

Your furniture should require no more than a regular dust off with a soft cloth. If the furniture is not painted then a superior wood polish can be used - but never use polishes containing silicone.

If necessary it can be cleaned with a damp cloth with a mild detergent solution - and then dried with a lint-free cloth. Never clean with abrasives or chemical cleaners.

Direct sunlight or heat from a radiator can stain, discolour warp or crack furniture. We know furniture can be heavy but try not to drag furniture across the floor as this can damage it.

PRODUCT SAFETY


Periodically check all fittings to ensure that none have come loose.

Keep away from direct sources of heat, such as electric, gas or wood fires. Do not allow children to climb on the furniture. Larger items of furniture should be properly (and professionally) secured to the wall to prevent them toppling over. Using this furniture other than for its intended purpose could cause damage the structure or serious injury to your child.

The furniture should not be used if any structural part is broken or missing. Little Folks Furniture do not supply wall fixings due to the wide ranging differences of wall construction.

Warning: This work should only be carried out by a competent person or a professional.

If you have any problems please do contact us for help on e mail customerservices@littlefolksfurniture.co.uk or phone our CUSTOMER SERVICES 01985 300588




Tools Req

Screwdriver

Fit the base


2 x Cam Pins, 4 wooden dowels and a Screwdriver

Fit 2x Cam Pins into the smaller holes as shown and then push the wooden dowels into the large end holes of the base panel.



Fit the two sides

4 x wooden Dowels and 4 x cam pins push the 4 wooden dowels into the large holes at the top of each side. Then screw in 4 x cam pins into the smaller holes as seen




Assemble the bookcase

3 x cam pins and 7 x cams

fix the plinth to the underside of the base, insert 2 x cams into the plinth holes and tighten.


Align the sides to the base & plinth and connect the parts using the fittings that you have already applied. Now insert 4 cams into the holes and tighten.

Fix one cam pin into the base panel at the rear (see image) then align the middle piece onto the cam pin (cam hole facing outwards), insert the cam and rotate to tighten.



Slip in the back panels

Slide the two back panels down the slots and into the bottom groove in the base. Please orientate the back panels with the decorative groove facing inwards




Fix the top

5 x cam pins

Now lower the top down onto the carcass. Line up the cam pins, wooden dowels and back panels so that the all parts are connected.

Rotate the cam pins to tighten the parts together.




Connect the top

5 x cams

Now lower the top down onto the carcass. Line up the cam pins, wooden dowels and back panels so that the all parts are connected.

Rotate the cam pins to tighten the parts together.




Drop in the shelf

4 x shelf studs

insert 2 studs into each side panel, selecting the height of the shelf.

Now simply rest the shelf on the studs.




Locate the bookcase and fit the topple strap

1 x topple strap kit

Screw the strap to the rear of the bookcase

Decide where you would like to place the bookcase, now gently lift the bookcase into place making sure that the bookcase is on a stable surface. Now screw the loose end of the strap to the wall.



Warning: This work should only be carried out by a competent person or a professional.

Making the bed frames.


12 x long Bolts 10cm, 12 x Barrel Nuts, an Allen key

Orientate the bed ends with the middle holes at the rear of the bed.

Push one barrel nut into each mattress rail holes, aligning the slot head to the end hole.

Slide each bolt through the bed end holes and into the holes in the end of each mattress rail.


Image with bed entrance on the right, if entrance required on the left, swap the mattress rails. Twist the bolts to tighten the bed together.



Fit the rear rail

4 x long Bolts 10cm, 4 x Barrel Nuts, an Allen key


Orientate the rear rail with the holes on the edge upwards and insert 4 x barrel nuts. Now insert 4 x bolts through the legs, rotating them into the barrel nuts. Tighten the fittings



Fixing the front safety rail

You need: 2x 10cm bolts, 4 x 3.5cm bolts and an allen key.


Align the piece to the front mattress rail and fix directly into the mattress rail using 2 \times 3.5cm bolts. Now insert 2 \times barrel nuts into the front safety rail, slide 2 \times 10cm bolts through the leg opposite to the bed entrance and engage the rail. Insert 2 \times 3.5cm bolts through the piece and rotate into the front safety rail. Tighten all the parts up using the allen key.



Fit the mattress base

30 x 3.2cm wood screws

Spread out the mattress base onto both the bed frame, ensuring that the end slats are tight up to the bed ends. Screw down each bed slat.




Make the ladder

You need: 8 x 6cm bolts, 8 x barrel nuts and 16 dowels

insert 4 x dowels into each tread


Orientate the ladder pieces so they are opposite each other and with the holes facing upwards. Now press a tread into each pair of holes, matching the front edges. Once all treads are engaged and the ladder formed, insert a barrel nut into the tread hole, slip a 6cm bolt fom the outside, rotating into the barrel nut hole, repeating on the remaining holes. Tighten all fixings to make the ladder.



Fit the ladder hooks

You need: 4 x bolts 1.8cm, 2 x ladder hooks and 2 x pads


Orientate the 2 x hooks on the ladder and connect using the 4 x 1.8cm bolts. Now stick a pad onto the inside of the hook, this will protect the paintwork on your bed.



Fix the ladder to the bed

You need: 2 x 1.6cm screws


Fit the ladder into the bed entrance and screw the hooks to the bed rail.



Please refer to the individual instruction leaflets for the different types of furniture that can be used with this bed.

LittleFolks

- FURNITURE-



Fargo Small Double Bed

Code: DBD002

PLEASE READ CAREFULLY & KEEP FOR FUTURE REFERENCE

Treated properly it should be a faithful servant for years - and we hope you get the same amount of pleasure from it. Before you do

- please take a few minutes to read these instructions
- we suggest you carefully unpack everything, lay it out on a clean, flat floor and identify everything on the parts list in these instructions. Do not throw away any packaging until you are sure you have all the parts.

If you have any problems assembling the product please call our customer services on 01985 300588 and we will try and help. If for any reason you wish to return the product, you must disassemble the product and pack in the original packaging.

Taking care of your product

Your furniture should require no more than a regular dust off with a soft cloth. If the furniture is not painted then a superior wood polish can be used - but never use polishes containing silicone.

If necessary it can be cleaned with a damp cloth with a mild detergent solution - and then dried with a lint-free cloth. Never clean with abrasives or chemical cleaners.

Direct sunlight or heat from a radiator can stain, discolour warp or crack furniture.

We know furniture can be heavy but try not to drag furniture across the floor as this can damage it.

PRODUCT SAFETY

The recommended size of the mattress is 191cm x 120cm (6'3" x 4'0)

Periodically check all fittings to ensure that none have come loose.

Keep away from direct sources of heat, such as electric, gas or coal fires.

Do not allow children to Climb on the furniture.

Using this furniture other than for its intended purpose could cause damage to the structure or serious injury to your child.

The Bed should not be used if any structural part is broken or missing.


If you can manage it, please try to persuade your children not to bounce on the bed.

Warning: The child`s bed should not be placed too close to other furniture or windows,

blind cords, curtain pulls or other strings or cords, and should be placed either tight to any wall or have a gap of 300mm between the wall and the side of the bed.

If you have any problems please do contact us for help on e mail customerservices@littlefolksfurniture.co.uk or phone our CUSTOMER SERVICES 01985 300588

Parts



Fittings

4 x nuts, 4 x washers, 4 x spring washers & 4 x threaded bars $\stackrel{\wedge}{}$



Tools Req


8 x Dowels



Fitting the bed legs.


4 threaded bars and 8 wooden dowels


Insert and rotate each threaded bar into the centre hole on each bed leg. Now insert the wooden dowels into the two holes either side.



Making the bed. (Two people required)

Slide each mattress rail onto the threaded bar and wooden dowels that you have fitted in the legs. Carefully slide the lunar washer onto the threaded bar as it passes through the large hole in each mattress rail. As this bar passes through the lunar washer slip on the spring washer then the normal washer and then finally the nut. Push the bed frame together. Rotate the nut using the spanner provided and tighten the bed frame.





Fix the base

30 x Wood screws

Lift the slatted base onto the bed, slide out and screw down.

Note: Both bed end slats should be tightly fitted at each end.